

Safety
FORCES COMMAND SAFETY PROGRAM

Changes to this regulation are not official unless they are authenticated by the Deputy Chief of Staff (DCS), G-6, FORSCOM.

Summary. This regulation communicates Forces Command (FORSCOM) policies in compliance with its responsibilities listed in paragraphs 1-4k and n, 2-1k, 3-5a, 3-9a(6) and b(4), 4-1a(3), and 4-4(e) of AR 385-1.

Applicability. This regulation applies to the Active Army, the United States Army Reserve, and the Army National Guard when under FORSCOM control.

Supplementation. Supplementation is prohibited without prior approval of Commander, FORSCOM (AFPI-SO), 1777 Hardee Avenue, SW., Fort McPherson, GA 30330-1062.

Changes. Changes to this regulation are not official unless they are authenticated by the G-6, FORSCOM. Users will destroy changes on their expiration date unless superseded or rescinded.

Suggested improvements. The proponent agency of this regulation is DCS, G-1, FORSCOM. Users are invited to send comments and suggested improvements on DA Form 2028 (Recommended Changes to Publications and Blank Forms) to Commander, FORSCOM (AFPI-SO), 1777 Hardee Avenue, SW, Fort McPherson, GA 30330-1062.

Restrictions. Approved for public release; distribution unlimited. Local reproduction is authorized.

FOR THE COMMANDER:

OFFICIAL:

DAN K. MCNEILL
General, USA
Commanding

/ORIGINAL SIGNED/
MICHAEL J. FLYNN
Colonel, Signal Corps
FORSCOM, G-6

DISTRIBUTION. This publication is available in electronic media only. It is intended for command levels A, B, C, D, E for units and activities reporting directly to FORSCOM.

Copies furnished:

HQDA(DAMO/DAS/DAJA); NGB; TRADOC, AMC; USARCENT, USARNORTH, USARSO, USAREUR, USARPAC, EUSA, USASOC, USARC, HQ FORSCOM (AFCI-PR) (record copy)

[FORSCOM Regulation 385-1](#), Forces Command Safety Policy, dated 31 March 1998, is changed as follows:

Add

Chapter 14

Tactical Use of Portable Space Heaters

14-1. References.

- a. [Technical Manual 10-4500-200-13 c 19](#), 30 Nov 94, subject: Heaters, Space: Radiant Type, Portable.
- b. [Technical Manual 9-4520-257-12&P](#), 30 Sep 03, subject: Heater, Space, Radiant, Large (H-45) Type 1, Solid Fuel, NSN 4520-01-354-1191, Type II, Liquid Fuel, NSN 4520-01-329-3451.
- c. [Army Regulation 600-55](#), 31 Dec 93, subject: Motor Vehicle and Equipment Operator Selection, Training, Testing, and Licensing.
- d. [Army Regulation 420-90](#), 04 Oct 06, subject: Fire and Emergency Services.
- e. [Ground Precautionary Message \(GPM\), 181832Z Apr 03](#), subject: GPM Soldier and Biological Chemical Command (SBCCOM), Soldier Systems Center (SSC-02-02): Military Fuel Fired Space Heaters.
- f. [Ground Precautionary Message \(GPM\), 031700Z Apr 97](#), subject: GPM Soldier Support Command (SSCOM-97-01), (Operational): Fuel Fired Space Heaters.
- g. US Army Center for Health Promotion and Preventive Medicine Data Sheet 55-007-1003, subject: Guidance on the Use of Heaters Inside Tents and Other Enclosed Shelters.
- h. US Army Center for Health Promotion and Preventive Medicine Data Sheet 65-045-0503, subject: Tent Heaters, Medical.
- i. US Army Center for Health Promotion and Preventive Medicine Data Sheet 65-040-0503, subject: Tent Heaters, Individual.

14-2. Background.

- a. Commercial off-the-shelf portable heating devices in field training and operations pose both a fire hazard and a serious inhalation hazard. If not properly vented, effluents from the combustion of fuels can create an environment where, over time, low concentrations of poisonous gases can cause death.
- b. Authorized Heaters: The Product Manager, Force Sustainment Systems has developed a family of space heaters authorized for use by Army units. Figures 14-1 and 14-2 provide current information regarding Family of Space Heaters (FOSH) performance specifications, and use. The heaters are required for use, because they are the safest means of providing heat in field operations.

To obtain these heaters via a funded requisition, go to the Defense Supply Center Philadelphia web site: <http://www.dscp.dla.mil/gi/general/ols.htm>

14-3. Policy Statement.

a. Units must possess the required shelter, power, and heaters to sustain operations in the field environment. To achieve this, heaters can be purchased as allowances, as described in the Common Table of Allowances, which allows commanders to purchase what is needed to meet their operational requirements. The FOSH items are class 2B (durable, expendable items). DLA orders heaters from its authorized vendors based on demand. Units alerted for rotation for deployment should assess their environmental requirements versus on hand space heaters and order shortage or replacement heaters prior to deployment.

b. Units will only use authorized portable space heaters.

c. Units will not use commercial off-the-shelf or locally purchased heaters in lieu of available type classified Army equipment, except as indicated below.

d. Acquisition of commercial off-the-shelf heaters is justifiable only in mission-critical circumstances. In those cases, units will obtain equipment meeting the requirements of a national standards organization, such as Underwriter's Laboratories, American National Standards Institute, the International Standards Organization, or the National Fire Protection Association. Personal (individually owned) heaters are not authorized for use in Army operations.

14-4. Responsibilities.

a. Commanders will approve and publish written Standing Operating Procedures, which embody the principles of this policy. Commanders will resource the purchase of required heaters and safety equipment using OPTEMPO funds.

b. For commercial off-the-shelf heaters, the requesting unit or activity will prepare and coordinate a risk assessment with local installation safety and fire protection personnel prior to approval request. The approved risk assessment will be briefed to all personnel using commercial off-the-shelf heaters. Approved risk assessments will be reviewed quarterly or when intended use, for which specific approval was granted, changes. Leaders will continually evaluate risk potential and control measures to determine their effectiveness.

c. The first General Officer in the units' chain of command will approve the purchase and/or use of commercial off-the-shelf heaters.

14-5. Usage.

a. Only heaters with a ventilation system compatible with the shielded tent vent stack or similar openings designed for such use will be used in areas where personnel sleep. Heaters will be equipped with emergency fuel shut-off, erected on a firm and level fireproof base, and be located in a marked clear area free of clothing or combustible material. Other fuel burning devices, such as stoves and lanterns, will not be used to heat sleep facilities per [AR 420-90](#).

b. In areas where soldiers are awake and performing duties in support of

operations, such as Tactical Operations Centers, maintenance tents, Administrative Logistics Operations Center, etc., commercial off-the-shelf heaters may be used when authorized under the requirements of paragraph 14-4c. Commanders will ensure adequate control measures are in place and enforced to minimize the risks associated with using unvented fuel heaters in these operational environments.

c. The use of heaters where no ventilation is provided, such as unvented kerosene heaters, is prohibited. Waiver authority is at MACOM level. Requests will be denied for enclosed facilities, such as container express vans, military vans, and buildings unless adequate ventilation is available.

d. Electric heaters will only be used where provisions are taken to prevent fires by keeping the area around the heater clear of combustibles, providing readily accessible fire extinguishers appropriate for fighting electrical fires, and only operating the device as outlined by the manufacturer.

e. A fire watch will be on duty in areas where electric, solid, or liquid fueled heaters are used. The fire watch will be briefed on watch procedures, fire fighting with appropriate extinguishing agent, and early recognition of carbon monoxide poisoning. Heaters will not be operated when unattended. While not standard Army issue items, the use of carbon monoxide detectors or other similar devices may be used in conjunction with fire watch personnel as a hazard control measure option. In no case will these devices be used in lieu of fire watch personnel as the primary hazard control measure.

f. Where applicable, fuel tanks will be located outside of tents, shelters, and facilities.

g. Personnel will be licensed in accordance with reference 1c, chapters six and seven. These individuals will demonstrate proficiency in setup and operation of portable space heaters.

h. Heaters will be fueled, used, and maintained in accordance with manufacturer's instructions or applicable Technical Manual. Only authorized and appropriate fuels will be used. Prior to heater use, an inspection by the responsible unit fire or safety representative will be performed. Unapproved heater modifications will not be authorized. Heaters will only be used for the purpose recommended by the manufacturer.

i. Fuel will only be transported in approved Department of Transportation containers.

j. Only authorized heaters will be used to heat vehicles. When vehicle heaters are used, hatches/windows will remain partially opened to allow circulation and to prevent carbon monoxide poisoning.

Figure 14-1. Family of Space Heaters Quick Reference Chart

Name	Picture	NSN, BTU, Size and Weight	Tent Type
H-45 Space Heater		4520-01-329-3451 45K 18" Dia x 24"H 65 lbs	GP MGPTS MCPS TEMPER
Space Heater Arctic (SHA)		4520-01-444-2375 28 K 17"H x 9"W x 17"L 41 lbs	5 Man & 10 Man Arctic
Space Heater Small (SHS)		4520-01-478-9207 12K 14"H x 9"W x 16"L 35 lbs	SCT
Space Heater Convective (SHC)		4520-01-431-8927 35K 18"H x 14"W x 40"L 78 pounds	MCPS TWO 35000 60000BTU
Thermoelectric Fan (TEF)		4520-01-457-2790 N/A 14" Dia X 10" H	Used with H-45 & SHA

Figure 14-2.

Family of Space Heaters Descriptions:

H-45 Space Heater

The H-45 Space Heater is a 45K BTU heater that is designed to provide heat for the General Purpose (Small, Medium and Large) and TEMPER tents. The H-45 heater replaces the antiquated M-41 heater which has severe operational deficiencies and poses a serious safety hazard in the field. The H-45 heater operates without the use of electrical power and can burn all types of liquid fuel (DF-2, DF-1 DF-A, JP-5, JP-6, JP-4, and gasoline) and solid fuel (wood and coal). It utilizes the new vaporizing R-tube burner technology which overcomes the major combustion and safety problems that have existed over the past 50 years in the non-powered heater industry. These problems include poor smoky combustion of diesel fuel and the hazardous exposure of a pool of raw fuel during operation. The new vaporizing R-tube burner technology eliminates these deficiencies while still maintaining simplicity, ruggedness, and low cost. The NSN for the H-45 heater is 4520-01-329-3451.



The H-45 heater measures 18 diameter x 24' high and weighs 65 lbs, including all accessories (stack, flue cap, gravity feed adapter, hoses, etc). The H-45 Space Heater is operational in temperatures ranging from -60° F to 60° F and can be stored in temperatures ranging from -60° F to 160° F.

Designed to withstand rugged field use and to the heating requirements for all military tents. These are the only heaters supported through the military repair parts system (logistically supportable).

Space Heater Arctic (SHA)

The Space Heater Arctic (SHA) is a 25K BTU heater that is designed to provide heat for the 10-man arctic tent and other tentage with floor areas between 100 and 200 square feet. The SHA replaces the current Yukon heater which has severe operational deficiencies and poses a serious safety hazard in the field. The SHA operates without the use of electrical power and can burn all types of liquid fuel (DF-2, DF-1, DF-A, JP-5, JP-8) and solid fuel (wood and coal). The SHA utilizes the new vaporizing S-tube burner technology which overcomes the major combustion and safety problems that have existed over the past 50 years in the non-powered heater industry. These problems include poor smoky combustion of diesel fuel and the hazardous exposure of a pool of raw fuel during operation. The new vaporizing S-tube burner technology eliminates these deficiencies while still maintaining simplicity, ruggedness, and low cost. The NSN for the SHA is 4520-01-444-2375.



The SHA measures 16" H x 9" W x 16" L and weighs 35 lbs. including all accessories. These accessories are comprised of the stack, flue cap; gravity feed adapter, and hoses. All accessory components, including the pre-assembled telescoping stove pipe, can be stored within the heater making it highly mobile and easy to

assemble. The SHA is operational in temperatures ranging from -60° F to 60° F, and can be stored in temperatures ranging from -40° F to 160° F.

Space Heater Small (SHS)

The Space Heater Small (SHS) is a 12K BTU heater that is designed to provide heat for the Soldier Crew Tent (5-man tent) and other tentage with floor area between 80 and 100 square feet. The SHS will satisfy a heating requirement for small military tentage in which there is currently no existing heater that can meet this requirement. The SHS operates without the use of electrical power and can burn all types of liquid fuel (DF-2, DF-1, DF-A, JP-5, JP8). The SHS utilizes the new vaporizing S-tube burner technology which overcomes the major combustion and safety problems that have existed over the past 50 years in the non-powered heater industry. These problems include poor smoky combustion of diesel fuel and the hazardous exposure of a pool of raw fuel during operation. The new vaporizing S-tube burner technology eliminates these deficiencies while still maintaining simplicity, ruggedness, and low cost



The SHS measures 13.1" H x 8.5" W x 16"L and weighs 19 lbs, including all accessories. The integral fuel tank design eliminates the need for hoses, gravity feed adapter, fuel can and fuel can stand. The SHS is operational in temperatures ranging from -60° F to 60° F, and can be stored in temperatures ranging from -60° F to 160° F.

Space Heater Convective (SHC)

The Space Heater Convective (SHC) is a 35K BTU thermoelectric heater that provides forced hot air circulation in military tentage without the need for an external power supply. This eliminates the need for a field generator. The SHC's intended applications include the Modular Command Post System, TOCs, and other tents housing expensive electronics equipment. The SHC is the first of its kind to successfully integrate thermoelectric and combustion into a field able heater prototype that delivers clean, breathable heat to military tentage and shelters. The heater provides a 60% increase in combustion efficiency over currently fielded non-powered heaters and provides much cleaner combustion of diesel fuel, translating to significantly reduced fuel costs and maintenance requirements. These modules convert waste heat into electrical energy, which is used to power the blowers, pumps, ignition system, safety system, and control devices required in the operation of the heater. The NSN is 4520-01-431-8927.



The SHC is 17"H x 14W x 39"L and weighs 67 pounds. It is operational from -40° F to 60° F. and can be stored from -60° F to 160° F. The heater can be operated either inside or outside the tent and has the capability to burn multiple liquid fuels (DF-2, DF-1, OF-A, JP-5, & JP-8). The heater starts simply using a single switch and operation is completely automatic due to built in diagnostics, safety and temperature controls. The thermoelectric heater generates its own electrical power (approximately 100 watts) through the use of thermoelectric modules located in

the combustion chamber.

Inse4r 60000 BTU information.

Thermoelectric Fan (TEF)

Standard military tent heaters operate inside a tent without the use of external electrical power and transfer heat by means of radiation and natural convection. The heat rises to the top leaving the floor and extremities of the tent cold. This translates into poor habitability conditions and excessive fuel consumption. The Thermoelectric Fan (TEF) operates with all standard military tent heaters to circulate heated air, improve habitability conditions and significantly reduce fuel usage while generating its own electrical power,

The NSN for this item is 4520-01-457-2790.



The TEF is a silent, compact, rugged fan unit (14" in diameter and 10" high) that is placed on top of any military tent heater. A built-in thermoelectric module converts heat from the top surface of the heater into electricity to power a 450 CFM fan. The fan moves heated air to the bottom and corners of the tent, providing more even heat distribution throughout the entire shelter. Improved heat distribution delivers more comfortable living/working conditions, improved health and morale, and significant fuel savings for soldiers in the field.

Testing indicates that the TEF can provide an increase over 20° F at the floor level of the tent. This allows the soldier to operate their heaters at much lower firing rates, saving a significant amount of fuel and increasing comfort levels in the tent. Tests show that up to 50% fuel savings can be achieved. For extreme cold weather conditions this translates into a cost savings of about \$450 per season in a 10-Man Artic Tent and \$2800 per season in a General Purpose Medium (1PM) tent equipped with two heaters and two TEFs.